Material Name: HELIUM SDS ID: 00233393

## \* \* \*Section 1 - PRODUCT AND COMPANY IDENTIFICATION\* \* \*

**Product Identifier: HELIUM** 

### **Manufacturer Information**

ADVANCED GAS TECHNOLOGIES

General Information: 1-800-416-2505

1401 Stauffer Road

Emergency #: 1-800-424-9300 (CHEMTREC)

Palm, PA 18070-0035

Outside the US: 703-527-3887 (Call collect)

## **Chemical Family**

inorganic, gas

## **Synonyms**

Helium gas; Helium compressed; Helium-4; Atomic helium; UN 1046; He; RTECS: MH6520000

### **Product Use**

industrial

### **Usage Restrictions**

none known

## \* \* \*Section 2 - HAZARDS IDENTIFICATION\* \* \*

### **EMERGENCY OVERVIEW**

Color: colorless
Physical Form: gas
Odor: odorless

Health Hazards: difficulty breathing

Physical Hazards: Containers may rupture or explode if exposed to heat.

#### POTENTIAL HEALTH EFFECTS

### Inhalation

**Short Term:** nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, emotional disturbances, tingling sensation, loss of coordination, suffocation, convulsions,

unconsciousness, coma

Long Term: no information is available

Skin

Short Term: frostbite

Long Term: no information is available

Eye

**Short Term:** frostbite, blurred vision **Long Term:** no information is available

Ingestion

**Short Term:** ingestion of a gas is unlikely **Long Term:** ingestion of a gas is unlikely

# \* \* \*Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS\* \* \*

Material Name: HELIUM SDS ID: 00233393

## \* \* \*Section 4 - FIRST AID MEASURES\* \* \*

### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

### Skin

Wash exposed skin with soap and water.

### **Eyes**

Flush eyes with plenty of water.

### Ingestion

If a large amount is swallowed, get medical attention.

## **Note to Physicians**

For inhalation, consider oxygen.

# \* \* \*Section 5 - FIRE FIGHTING MEASURES\* \* \*

See Section 9 for Flammability Properties

NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## Flammable Properties

Negligible fire hazard. Containers may rupture or explode if exposed to heat.

## **Extinguishing Media**

Use extinguishing agents appropriate for surrounding fire.

Large fires: Use water spray to keep containers cool.

## **Unsuitable Extinguishing Media**

None known.

## **Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

## **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile).

### **Thermal Decomposition Products**

Combustion: Not applicable

# \* \* \*Section 6 - ACCIDENTAL RELEASE MEASURES\* \* \*

### Occupational spill/release

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

## \* \* \*Section 7 - HANDLING AND STORAGE\* \* \*

## **Handling Procedures**

Avoid breathing gas. Use only with adequate ventilation.

Page 2 of 6 Issue Date: 03/14/2014 Revision: 1.0500 Print Date: 12/09/2014

Material Name: HELIUM SDS ID: 00233393

### Storage Procedures

Store and handle in accordance with all current regulations and standards. Protect from sunlight. Store in a well-ventilated area. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

## \* \* \*Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION\* \* \*

## **Component Analysis**

ACGIH, OSHA and NIOSH have not developed exposure limits for any of this product's components.

### **Component Biological Limit Values**

There are no biological limit values for any of this product's components.

#### Ventilation

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

### PERSONAL PROTECTIVE EQUIPMENT

## Eyes/Face

Eye protection not required, but recommended.

## **Protective Clothing**

Protective clothing is not required.

### Glove Recommendations

Protective gloves are not required.

## **Respiratory Protection**

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Respiratory protection is ranked in order from minimum to maximum.

Consider warning properties before use.

### For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

## \* \* \*Section 9 - PHYSICAL AND CHEMICAL PROPERTIES\* \* \*

Physical State: Gas Appearance: Not available

Color:colorlessPhysical Form:gasOdor:odorlessOdor Threshold:odorlessTaste:tastelesspH:Not available

Melting/Freezing Point:-272 °C @26 atmBoiling Point:-269 °CDecomposition:Not availableEvaporation Rate:Not available

Vapor Pressure: 1719 mmHg @ -268 °C Vapor Density (air = 1): 0.138

 Density:
 0.1785 g/L @ 0 °C
 Water Solubility:
 0.94 % @ 0 °C

 Log KOW:
 Not available
 Auto Ignition:
 Not available

 Viscosity:
 0.02012 cP @ 26.8 °C
 Molecular Weight:
 4.0026

Molecular Formula: He

#### Solvent Solubility

Insoluble: alcohol

Page 3 of 6 Issue Date: 03/14/2014 Revision: 1.0500 Print Date: 12/09/2014

Material Name: HELIUM SDS ID: 00233393

## \* \* \*Section 10 - STABILITY AND REACTIVITY\* \* \*

## **Chemical Stability**

Stable at normal temperatures and pressure.

### **Conditions to Avoid**

Protect from physical damage and heat. Containers may rupture or explode if exposed to heat. Avoid inhalation of material or combustion by-products.

### **Materials to Avoid**

No data available.

Combustion: Not applicable

## **Possibility of Hazardous Reactions**

Will not polymerize.

### **Hazardous Reactions**

Will not polymerize.

## \* \* \*Section 11 - TOXICOLOGICAL INFORMATION\* \* \*

## Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG.

### **Irritation**

No animal testing data available for skin or eyes.

## **Medical Conditions Aggravated by Exposure**

None known.

### **Tumorigenic**

No data available.

### Mutagenic

No data available.

### **Reproductive Effects**

No data available.

## \* \* \*Section 12 - ECOLOGICAL INFORMATION\* \* \*

## **Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.

## \* \* \*Section 13 - DISPOSAL CONSIDERATIONS\* \* \*

## **Disposal Methods**

Dispose in accordance with all applicable regulations.

### **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

Page 4 of 6 Issue Date: 03/14/2014 Revision: 1.0500 Print Date: 12/09/2014

Material Name: HELIUM SDS ID: 00233393

## \* \* \*Section 14 - TRANSPORT INFORMATION\* \* \*

## **US DOT Information**

**Shipping Name:** Helium, compressed **UN/NA #:** UN1046 **Hazard Class:** 2.2

Required Label(s): 2.2

#### **TDG Information**

**Shipping Name:** Helium, compressed **UN #:** UN1046 **Hazard Class:** 2.2

Required Label(s): 2.2

## \* \* \*Section 15 - REGULATORY INFORMATION\* \* \*

## **U.S. Federal Regulations**

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

#### SARA 311/312

Acute Health: Yes Chronic Health: No Fire: No Pressure: Yes Reactive: No

### U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA.

Not regulated under California Proposition 65

### **Component Analysis - Inventory**

No information is available.

## \* \* \*Section 16 - OTHER INFORMATION\* \* \*

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSL - Domestic Substances List; EEC - European Economic Communicty; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Farenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH -National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; RID - European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL -Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States

Page 5 of 6 Issue Date: 03/14/2014 Revision: 1.0500 Print Date: 12/09/2014

Material Name: HELIUM SDS ID: 00233393

## **Other Information**

Advanced Gas Technologies makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Advanced Gas Technologies shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Sheet 00233393